



COPY OF PAPERS
ORIGINALLY FILED

PATENT APPLICATION
Attorney's Docket No. 9778-18

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of: Ole Charles Hansen

Serial No. 10/085,865

Examiner: Not yet assigned

Filed: February 27, 2002

Group Art Unit: 3752

For: CONTROL APPARATUS FOR A BOOM IRRIGATOR, AND A
METHOD AND SYSTEM RELATING THERETO

TRANSMITTAL LETTER

Assistant Commissioner for Patents
Washington, D.C. 20231

Enclosed for filing in the above-referenced application are the following:



Copy of Notice to File Corrected Application Papers

Substitute Drawings 7 sheet(s)

Any deficiency or overpayment should be charged or credited to deposit
account number 13-1703. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

MARGER, JOHNSON &
McCOLLUM, P.C.

Alan T. McCollom
Registration No. 28,881

MARGER, JOHNSON &
McCOLLUM, PC
1030 SW Morrison Street
Portland, OR 97205
(503) 222-3613



20575

PATENT TRADEMARK OFFICE

I HEREBY CERTIFY THAT THIS
COPY OF THE PATENT APPLICATION IS BEING DEPOSITED
WITH THE UNITED STATES POSTAL SERVICE
FOR FIRST CLASS MAIL IN AN ENVELOPE
ADDRESSED TO:

COMMISSIONER OF PATENTS AND
TRADEMARKS, WASHINGTON D.C. 20231

☒ ASSISTANT COMMISSIONER FOR
PATENTS, WASHINGTON D.C. 20231

☐ ASSISTANT COMMISSIONER FOR
TRADEMARKS, 2000 CRYSTAL DRIVE
ARLINGTON, VA 22202-4313

ON: 5/16/02

COPY OF PAPERS
ORIGINALLY FILED

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

| APPLICATION NUMBER | FILING/RECEIPT DATE | FIRST NAMED APPLICANT | ATTORNEY DOCKET NUMBER |
|--------------------|---------------------|-----------------------|------------------------|
| 10/085,865 | 02/27/2002 | Ole Charles Hansen | 9778-18 |

MARGER JOHNSON & McCOLLOM, P.C.
1030 S.W. Morrison Street
Portland, OR 97205

CONFIRMATION NO. 1666

FORMALITIES LETTER



OC00000007803501

Date Mailed: 04/05/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE